



TYPICAL PLANTING BED EDGE



GROWING MEDIUM TO APPROVED SPECIFICATIONS 1. GROWING MEDIUM MIXTURE: 4 PARTS TOPSOIL, 1 PART COMPOST, 1 PART SHREDDED PEAT & APPLICATION OF HIGH PHOSPHOROUS FERTILIZER (0-20-0). 2. PLANTING BED SHALL BE THOROUGHLY WATERED IMMEDIATELY AFTER PLANTING & PRIOR TO

3. FOR POTTED SHRUBS, SATURATE CONTAINER/ ROOTS/SOIL PRIOR TO REMOVAL OF CONTAINER BEFORE PLANTING. 4. SHRUBS ARE TO BE SPACED AS DIRECTED. 5. ALL DIMENSIONS ARE IN MILLIMETERS.

B&B/CONTAINER STOCK SHRUB PLANTING



PRUNE DAMAGED OR

NOT PRUNE LEADERS.

BASE AFTER PLANTING

ACCEPTED).

SETTLING.

OBJECTIONABLE/RUBBING BRANCHES. DO

MAINTAIN ORIGINAL GRADE OF SHRUB

WIDTH OF PLANTING PIT TO BE MINIMUM

2X ROOTBALL DIAMETER OR 150MM ON

EITHER SIDE, WHICH EVER IS GREATER

- COVER SOIL TO DRIPLINE WITH MINIMUM

MULCH (CHIPPED PALETTES WILL NOT BE

CUT AND REMOVE BURLAP FROM TOP 1/3

POSITIONED IN PIT (REMOVE CONTAINER


ROPE OR WIRE USED TO SECURE BALL.

PLACE ROOTBALL ON UNDISTURBED SOIL.


OF 100MM (4") APPROVED NATURAL

OF ROOT BALL AFTER SHRUB IS

BACKFILL TO REDUCE ROOTBALL



5 UNIT PAVER WITH EDGER Scale 1:10



2. 8'-0" (2.44 M) SECTIONS TO INCLUDE (3) 18" (457 MM) ALUMINUM STAKES AND (3) XLR ADAPTORS. 3. 16'-0" (4.88 M) SECTIONS TO INCLUDE (5) 18" (457 MM) ALUMINUM STAKES AND (3) XLR ADAPTORS. 4. CORNERS - CUT BASE EDGING UP HALFWAY AND FORM A CONTINUOUS CORNER. 5. PERMALOC CLEANLINE XL AS MANUFACTURED BY PERMALOC CORPORATION, HOLLAND MI. (800) 356-9660, (616) 399-9600

6. CONTRACTOR'S NOTE: FOR PRODUCT AND PURCHASING INFORMATION VISIT: WWW.PERMALOC.COM

DRIP STRIP AT BUILDING

GROWING MEDIUM NOTES:

1.0 GROWING MEDIUM TESTING:

1.1 GROWING MEDIUMS (TOPSOIL; PLANTING MIXES) AND ORGANIC AMENDMENTS MUST BE TESTED BY AN OMAFRA ACCREDITED AGENCY AND APPROVED PRIOR TO USE. TEST TOPSOIL FOR P, K, CA AND MG, MINOR ELEMENT VALUES, SOLUBLE SALT CONTENT, ORGANIC MATTER, TEXTURE AND PH VALUE APPROPRIATE FOR THE ESTABLISHMENT AND GROWTH OF ORNAMENTAL NURSERY STOCK. SUBMIT TEST RESULTS AND ANALYSIS INCLUDING RECOMMENDATIONS FOR AMENDMENTS AND FERTILIZER TO THE CONSULTANT.

2.0 TOPSOIL:

TOPSOIL SHALL BE FERTILE, FRIABLE, TOPSOIL, FREE OF: FRAGMENTS LARGER THAN 75MM IN SIZE; STONES OVER 30MM IN DIAMETER; DEBRIS; PLANTS OR THEIR ROOTS; STICKS; NOXIOUS SEED PLANTS; STOLONS; SEEDS; SALTS; SOIL STERILANTS; CHEMICAL CONTAMINANTS; O OTHER MATERIALS DETRIMENTAL TO

2.2 FERTILIZER AND AMENDMENTS: MUST BE MADE AS PER SOIL TESTING AGENCY RECOMMENDATIONS.

2.3 ALL TOPSOIL FOR THE INTENSIVE USE LAWN AREAS SHALL BE SANDY LOAM CLASS ONLY.

2.4 TOPSOIL: SHALL NOT BE MOVED, DELIVERED OR WORKED ON WHILE IN A FROZEN STATE OR CONDITION.

3.0 GROWING MEDIUM - PLANTING MIXES:

3.1 PLANTING MIX: (WHERE SPECIFIED) SHALL BE THOROUGHLY COMBINED PRIOR TO PLACEMENT IN PLANTING BED AREAS TO THE FOLLOWING PROPORTIONS: 4 PARTS APPROVED TOPSOIL, 1 PART COMPOST, 1 PART SHREDDED PEAT MOSS AND AN APPLICATION OF HIGH PHOSPHOROUS FERTILIZER (0-20-0).

3.2 MIXES CONTAINING A SIGNIFICANT AMOUNT OF PEAT MOSS SHALL NOT BE PERMITTED TO DRY OUT. THE MOISTURE CONTENT OF THE PEAT MOSS AT THE TIME OF MIXING SHALL BE NOT LESS THAN 60% TO 75%.

4.0 FERTILIZER AND AMENDMENTS:

4.1 ORGANIC SOIL ADDITIVE: "GRO-BARK" FINE COMPOSTED PINE MULCH OR AN APPROVED ALTERNATIVE.

4.2 FERTILIZER: COMPLETE COMMERCIAL FERTILIZER WITH 50% OF THE ELEMENTS DERIVED FROM ORGANIC SOURCES.

PEAT MOSS: DECOMPOSED PLANT MATERIAL, FAIRLY ELASTIC AND HOMOGENOUS, FREE OF DECOMPOSED COLLOIDAL RESIDUE, WOOD, SULPHUR AND IRON AND OF BROWN COLOUR CONTAINING MINIMUM 60% ORGANIC MATTER BY WEIGHT, MOISTURE CONTENT NOT EXCEEDING 15% AND PH VALUE OF 3.4 - 5.5.

4.4 COMPOST AND MANURE: SHALL MEET THE STANDARDS FOUND IN THE INTERIM GUIDELINES FOR THE PRODUCTION AND USE OF AEROBIC COMPOST IN ONTARIO PUBLISHED BY THE ONTARIO MINISTRY OF ENVIRONMENT AND ENERGY (MOEE), AND SHALL BE VIRTUALLY FREE FROM ALL VIABLE WEED SEEDS, OR OTHER PLANT REPRODUCTIVE PARTS. PATHOGENS, CHEMICALS OR TOXIC CONTAMINATES. MANURE SHALL BE WELL ROTTED, UNBLEACHED CATTLE MANURE, FREE FROM HARMFUL CHEMICALS AND OTHER INJURIOUS SUBSTANCES, AT LEAST EIGHT MONTHS OLD, BUT NOT MORE THAN TWO YEARS OLD AND WITH NO MORE THAN 25% STRAW, LEAVES OR OTHER MATERIALS. PHYSICAL CONTAMINATES SUCH AS ROCK, PLASTIC, METAL OR GLASS SHALL BE LESS THAN 0.5%. TOTAL CARBON TO NITROGEN RATIO IN THE RESULTING GROWING MEDIUM SHALL NOT EXCEED 30:1.

4.5 LIME: LIMESTONE CONTAINING NOT LESS THAN 8% OF CALCIUM AND MAGNESIUM CARBONATES COMBINED, FINELY GROUND TO PASS A 10 MESH SIEVE WITH AT LEAST ONE HALF PASSING A 100 MESH SIEVE. RATE OF APPLICATION SHALL BE DETERMINED AFTER THE PH OF THE TOPSOIL.

4.6 BONEMEAL: RAW, FINELY GROUND WITH A MINIMUM ANALYSIS OF 4% NITROGEN AND 20% PHOSPHORIC ACID.

SAND: SHARP, CLEAN SAND, TO OPSS 1002-3.

PLANTING NOTES:

1. ALL PLANT MATERIAL SHALL BE NO.1 NURSERY GROWN, MEETING SPECIFICATIONS FOR SIZE, HEIGHT, SPREAD, GRADING, QUALITY, METHOD OF CULTIVATION, AND BALLING AND BURLAP SPECIFICATIONS AS SET OUT IN THE 8TH EDITION 2006 GUIDE SPECIFICATION FOR NURSERY STOCK PREPARED BY THE CNLA.

2. NO SUBSTITUTIONS IN SPECIES, CULTIVAR, QUANTITY, SIZE OR CONDITION WILL BE PERMITTED WITHOUT THE WRITTEN APPROVAL OF THE CONSULTANT. ANY UNAPPROVED SUBSTITUTED MATERIAL WILL BE REQUIRED TO BE REMOVED FROM THE SITE AT THE EXPENSE OF THE CONTRACTOR.

3. ANY INCONSISTENCIES FOUND IN THE QUANTITIES AS SHOWN ON THE PLAN AND THE PLANT LIST SHALL BE IMMEDIATELY REPORTED TO THE CONSULTANT.

4. LAYOUT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR. LAYOUT, PLANT STAKE-OUT AND DELIVERED PLANT MATERIAL SHALL BE APPROVED BY THE CONSULTANT PRIOR TO

5. NATIVE OR IMPORTED TOPSOIL SHALL BE TESTED AS SPECIFIED AND APPROVED BY THE CONSULTANT PRIOR TO ADDING ANY AMENDMENTS AND PLACEMENT. PLANTING MIX, WHERE INDICATED, SHALL FOLLOW THE MIX SPECIFICATIONS.

6. PROVIDE 400MM MINIMUM DEPTH OF APPROVED TOPSOIL OR PLANTING MIX IN ALL BEDS, UNLESS OTHERWISE NOTED. ALL BEDS SHALL BE MULCHED WITH APPROVED MULCH TO A MINIMUM DEPTH OF 75MM, UNLESS OTHERWISE NOTED. DEPTHS SHALL BE THOSE ACHIEVED UNDER LIGHT COMPACTION. AREAS TO BE SODDED OR SEEDED SHALL BE PROVIDED WITH 150

MM OF APPROVED TOPSOIL, COMPACTED TO 85% SPD.

7. NO BARE-ROOT PLANTING SHALL BE PERMITTED BETWEEN MAY 15 AND OCTOBER 15.


8. PLANT MATERIAL SHALL BE THOROUGHLY WATERED AT THE TIME OF PLANTING.


9. THOSE AREAS NOT SPECIFICALLY IDENTIFIED FOR PLANTING, OR OTHERWISE NOTED, SHALL BE SODDED. SODDING SHALL BE MAINTAINED AND WARRANTED UNTIL FIRST CUT. SEEDING SHALL BE MAINTAINED AND WARRANTIED UNTIL OCTOBER 1 FOR SPRING SEEDING AND JUNE 1 FOR FALL SEEDING.

10. ALL TREES AND SHRUBS SHALL BE UNDER WARRANTY FOR A PERIOD OF 24 MONTHS COMMENCING ON THE DATE OF ACCEPTANCE.

11. THE CONTRACTOR SHALL PROVIDE MAINTENANCE IMMEDIATELY AFTER THE PLANTS ARE INSTALLED AND CONTINUE THROUGHOUT THE ENTIRE WARRANTY PERIOD. MAINTENANCE REQUIREMENTS SHALL INCLUDE ALL PROCEDURES CONSISTENT WITH PROPER HORTICULTURAL PRACTICES TO ENSURE NORMAL, VIGOROUS, AND HEALTHY GROWTH OF ALL MATERIAL PLANTED. ALL STAKES, WIRE, HOSE, AND OTHER ACCESSORIES MUST BE REMOVED PRIOR TO FINAL WARRANTY INSPECTION.

12. ALL PLANT MATERIAL USED AS REPLACEMENTS FOR UNACCEPTABLE MATERIAL SHALL BE OF THE SAME QUALITY AND REQUIREMENTS PRESCRIBED FOR THE ORIGINAL MATERIAL. REPLACEMENTS SHALL BE MADE ONCE UNDER THE WARRANTY.





WOOD FENCE - GARAGE BIN SCREEN

1. ALL CONSTRUCTION TO BE PRESSURE TREATED, FREE FROM EXCESSIVE CRACKS, WARPS, OR KNOTS. 2. ALL CUTS TO BE TREATED. 3. ALL HARDWARE TO BE GALVANIZED

Hamilton, Ontario L8P 4A9 T 905 572 7477

Date: October 8, 2019

DETAILS

NEW AMHERST 6 PLEX - BLOCK 123 NEW AMHERST, COBOURG, ON

ISSUED FOR SITE PLAN APPROVAL, NOT FOR CONSTRUCTION.	

Oct 16, 2019 Issued for Review Jan 16, 2020 Issued for SPA REVISIONS DATE



www.gspgroup.ca

Project No.: 3083 Scale: As Noted