





- #6 1 Black Willow (*Salix nigra*) – 2-stem  
- 100cm dbh, each stem  
- 1 stem is broken and laying on the ground

- #7 1 Black Willow (*Salix nigra*) – multi-stem  
- 15cm dbh to 35cm dbh  
- fair condition

- #8 1 Manitoba Maple (*Acer ginnala*)  
- 42cm dbh  
- good condition

#### Area East of Railway Tracks

- #9 6 Poplars (*Populus canadensis*), 5 Manitoba Maple (*Acer ginnala*), 1 uprooted Manitoba Maple (*Acer ginnala*)  
- range from 15cm dbh to 40cm dbh  
- poor to fair condition  
- there is Sumac (*Rhus typhina*), Buckthorn (*Rhamnus*) and Manitoba Maple (*Acer ginnala*) brush growing throughout

- #10 5 large multi-stem Black Willow (*Salix nigra*)  
- range from 60cm dbh to 120cm dbh  
- poor to fair condition  
8 Manitoba Maple (*Acer ginnala*) – mostly multi-stem  
- range from 40cm dbh to 80cm dbh  
- one has all of its stems broken off and fallen to the ground  
- the rest are in fair condition

- 1 Black Locust (*Robinia pseudoacacia*)  
- 65cm dbh  
- good condition

There is a lot of Buckthorn (*Rhamnus*) and Manitoba Maple (*Acer ginnala*) underbrush throughout this group.

- #11 Mix of Poplar (*Populus canadensis*), White Birch (*Betula papyrifera*) and White Ash (*Fraxinus americana*)  
- all are less than 30cm dbh, ranging from 5cm dbh to 20cm dbh  
- there is some Buckthorn (*Rhamnus*) underbrush

- #12 Mix of Poplar (*Populus canadensis*), Black Locust (*Robinia pseudoacacia*), Manitoba Maple (*Acer ginnala*) and 1 Corkscrew Willow (*Salix matsudana*)  
- all are less than 30cm dbh, ranging from 5cm to 25cm dbh



- #13 3 Manitoba Maple (*Acer ginnala*)  
- 40cm dbh  
- fair condition  
- there is some Buckthorn (*Rhamnus*), Manitoba Maple (*Acer ginnala*) and Hawthorn (*Crataegus*) brush
- #14 3 Poplar (*Populus canadensis*) and 1 Black Willow (*Salix nigra*)  
- 30cm dbh to 45cm dbh  
- poor to fair condition  
- also, some Manitoba Maple (*Acer ginnala*) brush
- #15 4 Black Locust (*Robinia pseudoacacia*)  
- 30cm dbh to 45 cm dbh  
- fair condition  
- there are a number of small White Birch (*Betula papyrifera*), Black Locust (*Robinia pseudoacacia*), Black Willow (*Salix nigra*) and Pussy Willow (*Salix discolor*) - all less than 20cm dbh, and some Sumac (*Rhus typhina*) brush
- #16 2 Black Willow (*Salix nigra*) – multi-stem  
- 40cm to 60cm dbh  
- good condition  
- there is some Manitoba Maple (*Acer ginnala*) brush
- #17 2 dead White Birch (*Betula papyrifera*)
- #18 2 Manitoba Maple (*Acer ginnala*) – multi-stem  
- 30cm dbh  
- good condition  
- also, some Manitoba Maple (*Acer ginnala*) brush

It is my opinion that there would be little value in preserving any of the trees based on the species being predominantly Poplar (*Populus canadensis*), Manitoba Maple (*Acer ginnala*), Black Willow (*Salix nigra*) and Black Locust (*Robinia pseudoacacia*), and in general, all trees are in fair to poor condition.

Also, the majority of trees are under 30cm dbh and there is a lot of Buckthorn (*Rhamnus*) underbrush.

Yours truly,

Del Cressman, B.C.M.A.  
President



