

SYMBOL	QUANTITY	BOTANICAL NAME	COMMON NAME	SIZE	CONDITION	REMARKS
Trees						
AfJ	3	Acer x. freemanii 'Jeffersred'	Autumn Blaze Maple	60mm	WB	
CbF	5	Carpinus betulus 'Fastigiata'	Pyramidal European Hornbeam	60mm	WB	
9bP	3	Ginkgo biloba 'Princeton Sentry'	Princeton Sentry Maidenhair Tree	60mm	WB	
9tS	3	Gleditsia triacanthos 'Skyline'	Skyline Honey Locust	60mm	WB	
Pg -a	3	Picea glauca	White Spruce	175cm	WB	
-a	4	Tilia americana	Basswood	60mm	WB	
Shrubs						
AgC AcC Dg	1	Acer ginnala Clump	Amur Maple	150cm	10gal	Clump
AcC	2	Amelanchier canadensis Clump	Canadian Serviceberry	150cm	10gal	Clump
Dg	25	Deutzia gracilis	Slender Deutzla	50cm	3gal	Potted
JhP	21	Juniperus horizontalis 'Prince of Wales'	Prince of Wales Juniper	50cm	3gal	Potted
SbG	33	Spiraea bumalda 'Goldflame'	Goldflame Spirea	60cm	3gal	Potted
-cC	4	Taxus cuspidata 'Capitata'	Clipped Cone Japanese Yew	110cm	ВВ	
mH	9	Taxus media 'Hicksii'	Hick's Yew	60cm	ВВ	
Herbaceous P	Plants					
CaA	12	Calamagrostis acutiflora 'Avalanche'	Avalanche Feather Reed Grass	2gal	Potted	
CaK	32	Calamagrostis acutiflora 'Karl Foerster'	Karl Foerster Feather Reed Grass	2gal	Potted	
15	29	Hemerocallis 'Stella D'Oro'	Stella D'Oro Daylily	1gal	Potted	
PaH	12	Pennisetum alopecuroides 'Hameln'	Hamlen Dwarf Fountain Grass	2gal	Potted	
RF	7	Rudbeckia fulgida 'Goldsturm'	Goldsturm Black-Eyed Susan	1gal	Potted	


PLANT MA	ATERIAL SCHE	DULE - BIORETENTION BASIN PLAN	ITING			
SYMBOL	QUANTITY	BOTANICAL NAME	COMMON NAME	SIZE	CONDITION	REMARKS
Shrubs						
Ac2	4	Amelanchier canadensis Clump	Canadian Serviceberry Clump	125cm	10 gal	
Cr	10	Cornus racemosa	Gray Dogwood	60cm	3 gal	Potted
Ra	14	Rhus aromatica	Fragrant Sumac	50cm	3gal	
Sc	15	Sambucus canadensis	American Elder	60cm	3gal	





No.	Issues and Revisions	Date
1	SPC REVIEW	2020-06-05
		'





Landscape Architect prior to commencing work.

Base plan information taken from Site Plan provided by:
Company Name: CHAMBERLAIN ARCHITECT SERVICES


Dated: MARCH 2020


Wentworth Landscapes 13392 Loyalist Parkway R.R.1, Picton ON K0K 2T0 613.547.3772

Consultants

WENTWORTH LANDSCAPES

Client			
2648888 ONTARI	O INC		
Project			
HOLIDAY INN EX	PRESS		
Project Location			
DEPALMA DRIVE			
COBOURG, ON			
Drawing Title			
LANDSCAPE PLA	AN		
Scale			
1:200			
Date		ot Date	
2020-06-01		2020-06-05	
Designed By	Dra	awn By	
DD		DD	
Approved By	Dra	awing Number	
TG			1 4
Project Number			1 1
200022-DC			





GEOTEXTILE FILTER

FABRIC, TYPAR 3341

25MM - 75MM DIA.

TOP OF CURB

-CONCRETE PAVING

REFER TO CIVIL DWGS

EXISTING SUB-GRADE

GRANITE RIVERSTONE

AT WASTE RECEPTACLE


COMPACTED TO 95% S.P.D.

GRANITE RIVERSTONE


BE FLUSH WITH TOP OF


ADJACENT PAVING OR

MULCH. TOP OF MULCH TO




SHRUBS AS DETAILED REPRESENTS BOTH CONIFEROUS AND DECIDUOUS SPECIES -PLACE MULCH TO EVEN HORIZONTAL GRADE -SHRUBS PLANTED IN GROUPS SHALL BE SET IN CONTINUOUS PLANTING BEDS -SHRUB BEDS TO BE BACKFILLED WITH TRIPLE MIX GARDEN LOAM PLANTING MIXTURE AS SPECIFIED TO A COMPACTED DEPTH OF 450MM -FIRMLY COMPACTED BACKFILLED PLANTING MIXTURE TO ELIMINATE AIR POCKETS AND PREVENT PLANT MATERIAL QUALITY STANDARDS ALL PLANT MATERIAL TO CONFORM TO THE LEVELS OF STANDARDS ESTABLISHED BY THE CANADIAN STANDARDS FOR NURSERY STOCK, EIGHTH EDITION, PUBLISHED BY THE CANADIAN NURSERY LANDSCAPE ASSOCIATION. ENSURE SHRUBS ARE THOROUGHLY WATERED AT TIME OF PLANTING. CONTINUE WATERING AS REQUIRED TO PROVIDE ADEQUATE MOISTURE FOR THE DURATION OF THE SPECIFIED MAINTENANCE DURING ESTABLISHMENT PERIOD. PRUNE AT TIME OF PLANTING TO REMOVE POTTED SHRUBS FROM POT TAKING CARE REMOVE ALL DAMAGED, DEAD, NOT TO DAMAGE ROOTS. OR DISEASED BRANCHES, BEING CAREFUL TO RETAIN THE IF BALLED AND NATURAL SHAPE OF THE PLANT BURLAPPED, CUT AND REMOVE ALL WIRE, ROPE, BURLAP AND TWINE FROM AROUND THE BASE OF TAMP PLANTING MIXTURE BELOW -SHRUB AND TOP THIRD OF ROOT BALL PRIOR TO SETTING GUYING STAKES, ROOT BALL SHRUB AND FILL PLANTING BED IN COMPACTED 150MM LAYERS MAINTAIN ORIGINAL GRADE OF PLANT BASE PREMIUM SHREDDED PINE — TRIPLE MIX GARDEN LOAM BARK MULCH TO 75MM OR SPECIFIED PLANTING COMPACTED DEPTH, KEEP MULCH AWAY FROM BASE OF SHRUB - FINISHED GRADE, ENSURE BED SLOPES AWAY FROM BUILDING FOUNDATION SCARIFY SURFACE OF SUB-GRADE





No. Issues and Revisions Date

SPC REVIEW 2020-06-05



Project Notes This design and drawing are the property of The Scott Wentworth Landscape Group Ltd. and are not to be copied

Architect's express written consent.

The contractor shall check and verify all dimensions and report any discrepancies, error, or omissions to the Landscape Architect prior to commencing work.

or used for construction purposes without the Landscape

Wentworth Landscapes

13392 Loyalist Parkway R.R.1, Picton ON K0K 2T0

Consultants

613.547.3772

Project Number 200022-DC





ESTABLISHED BY THE CANADIAN STANDARDS FOR NURSERY STOCK, EIGHTH EDITION, PUBLISHED BY THE CANADIAN NURSERY LANDSCAPE ASSOCIATION. **MAGLIN** ENSURE TREES ARE THOROUGHLY WATERED AT TIME OF PLANTING. CONTINUE WATERING AS REQUIRED TO PROVIDE ADEQUATE MOISTURE FOR THE DURATION OF THE SPECIFIED MAINTENANCE DURING MAGLIN FURNITURE ESTABLISHMENT PERIOD. SYSTEMS INC. PLANTING DEPTH
IN HEAVY CLAY OR POORLY DRAINED TOLL FREE: 1-800-716-5506 WWW.MAGLIN.COM SOIL ALL WOODY PLANTS TO BE WRAP TRUNK WITH PLACED SO THAT THE ROOT COLLAR PERFORATED PIPE 600MM IS POSITIONED 75-100MM HIGHER MODEL MLB150-S THAN THE SURROUNDING GRADE. UNDER NORMAL SOIL CONDITIONS PLACE TREE AT HEIGHT SO ROOT COLLAR IS SLIGHTLY HIGHER THAN SURROUNDING GRADE. SUPPORT TREE WITH — TWO 2500MM STEEL T-BARS, PAINTED GREEN OR BLACK AND DRIVEN SECURELY 500MM MIN. INTO UNDISTURBED GROUND, SECURE TRUNK ABOVE FIRST SET OF BRANCHES BASE OF TRUNK BIO-DEGRADABLE FABRIC STRAP WITH GROMMETS AT ENDS FOR SECURING WITH 12 GALV. WIRE SURFACE MOUNTED BIKE RACK -MAGLIN FURNITURE SYSTEMS INC. MODEL: MLB150-S COLOUR TO BE DETERMINED. REFER TO LANDSCAPE PLAN FOR LOCATION SECURE TO CONCRETE PAD WITH 4 APPROPRIATE SIZED LAG BOLTS AND SHIELDS AS PER MANUFACTURER'S RECOMMENDATIONS BALL CONCRETE PAVING, REFER TO CIVIL DRAWINGS AND DETAILS

-PLACE MULCH TO EVEN HORIZONTAL GRADE.

CANADIAN NURSERY LANDSCAPE ASSOCIATION.

MAINTENANCE DURING ESTABLISHMENT PERIOD.

AIR POCKETS AND PREVENT SETTLEMENT.

-FIRMLY COMPACTED BACKFILLED TRIPLE MIX GARDEN LOAN OR SPECIFIED PLANTING MIXTURE TO ELIMINATE

CONTINUE WATERING AS REQUIRED TO PROVIDE ADEQUATE MOISTURE FOR THE DURATION OF THE SPECIFIED

-PREMIUM SHREDDED PINE BARK MULCH 75MM

COMPACTED DEPTH, ENSURE THAT BARK

TRIPLE MIX GARDEN LOAM OR SPECIFIED

PLANT TO EXPOSE SOIL

HERBACEOUS PLANT MATERIAL

PLANTING MIXTURE AS SPECIFIED

SCARIFY SURFACE OF SUBGRADE


-COMPACTED SUBGRADE


MULCH IS PULLED AWAY FROM CROWN OF

PLANT MATERIAL QUALITY STANDARDS
ALL PLANT MATERIAL TO CONFORM TO THE LEVELS OF STANDARDS ESTABLISHED BY THE CANADIAN


STANDARDS FOR NURSERY STOCK, EIGHTH EDITION, PUBLISHED BY THE


ENSURE HERBACEOUS PLANTS ARE THOROUGHLY WATERED AT TIME OF PLANTING.














MAGLIN






— UNILOCK PAVER BORDER (CORNER STONE): EUROPAVER -LARGE SQUARE 300MM X 300MM X 70MM COLOUR - DARK CHARCOAL — UNILOCK PAVER (BORDER): EUROPAVER -RECTANGULAR 150MM X 300MM X 70MM COLOUR - DARK CHARCOAL -UNILOCK PAVER (FIELD): EUROPAVER LAYING PATTERN F LARGE SQUARE-67% SMALL SQUARE-11% RECTANGULAR-22% LARGE SQUARE 300MM X 300MM X70MM - SMALL SQUARE 150MM X 150MM X70MM RECTANGULAR 150MM X 300MM X70MM 1-800-UNILOCK PAVING PATTERN WWW.UNILOCK.COM NOT TO SCALE




CONCRETE UNIT PAVER DETAIL D2 AT FRONT ENTRANCE


UNILOCK PAVER (CORNER) - UMBRIANO - SQUARE - SIZE - 360MM X 360MM X 60MM - COLOUR - MIDNIGHT SKY UNILOCK PAVER (BORDER) - UMBRIANO - SMALL RECTANGLE - SIZE - 360MM X 180MM X 60MM - COLOUR - MIDNIGHT SKY UNILOCK PAVER (FIELD), - UMBRIANO - LAYING PATTERN: RANDOM A -- LARGE RECTANGLE - 40% (540MM X 360MM X 60MM) SQUARE - 40% (360MM X 360MM X 60MM) -- SMALL RECTANGLE - 20% (360MM X 180MM X 60MM) COLOUR - FRENCH GRAY AVAILABLE THROUGH: UNILOCK, 1-800-UNILOCK, WWW.UNILOCK.COM


PAVING SPECIFICATION - NOTED NOT TO SCALE




CONCRETE UNIT PAVER DETAIL D3) AT REAR PATIOS









13392 Loyalist Parkway R.R.1, Picton ON K0K 2T0 613.547.3772 Consultants

Wentworth Landscapes



Client					
2648888 ONTARIO INC					
D : 1					
Project					
HOLIDAY INN EXPRES	S				
Project Location					
DEPALMA DRIVE					
COBOURG, ON					
Drawing Title					
LANDSCAPE DETAILS					
0 1					
Scale					
AS NOTED	DI (D (
Date	Plot Date				
2020-06-01	2020-06-05				
Designed By	Drawn By				
BM	BM				
Approved By	Drawing Number				
TG	1.0				
Project Number	I] 3				
200022-DC					

ORNAMENTAL FENCE DETAIL

ORNAMENTAL GATE NOTES:

1. GATE PANELS TO MATCH

2. REFER TO LANDSCAPE SITE

PLAN FOR GATE LOCATIONS 3. SELF CLOSING/ SELF

LATCHING GATE HARDWARE

OF LATCH TO MEET LOCAL

4. DOUBLE WIDE GATES,

WITH LOCK PROVISION. HEIGHT

INSTALL CANE ON ONE GATE

5. CONTRACTOR TO SUBMIT

FOR FENCING, GATES AND

SPACING FOR APPROVAL

6. FENCING AVAILABLE

THROUGH:

COMPLETE SHOP DRAWINGS

HARDWARE, INCLUDING POST

MEDALLION FENCE LTD

MAPLE, ONTARIO

(T) 905-832-2922 || 1-800-794-1564

www.medallionfence.com

FENCE